A. ArchiVet
Architectural hardware
& Glass Tools

# PRL GLASS SYSTEM
# PANIC HANDLES

www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PANIC HANDLES

## FOR TEMPERED GLASS, FULL FRAME AND WOOD DOORS

***Leading the Industry in Proven Custom Architectural Glass and Metal Door Hardware.***

PRL is now offering 2 NEW completely revolutionary, adaptable glass door panic systems.
**PL 100** Glass Door Panic System and **PL 110** Series Glass Panic Door System.

Both Series of Panic Door Systems accentuate glass entrance doors with its contemporary, minimal 1-1/4" tubular housing to accommodate over 100 precision and manufactured fitting components engineered and mechanically synchronized for a safe panic function. Many door style configurations that include narrow full frame entrances and custom applications are available, choose from a wide range of contemporary exterior pulls and adaptable handles, custom TVS header, an electric strike can also be utilized with this glass panic door system and work in conjunction with a remote key less application, please consult PRL for details.



The **PL 100** panic door device can also be dogged by sliding a pin located below the cylinder housing which allows the panic system to remain in an open position giving free access during business hours. An electric strike can also be utilized with this glass panic door system and work in conjunction with a remote key less application.

Note: PRL manufactures two types of glass door panic systems; PL 100 for top latch and PL 110 for floor latching panic device applications. State and Local building codes may require top latch for A.D.A. compliance.

•Thresholds are recommended on floor strike system as floor mounted strikes can be a tripping hazard.



**PL110** is a contemporary panic door handle design primarily for glass door entrance systems - panics can be manufactured to be installed on wood and aluminum doors as well, please consult factory for specifications. The slim 1 1/4" diameter interior panic bar system conceals the latching mechanism allowing minimal uninterrupted view on 1/2" or 3/4" glass.

The PL 110 panic door device can also be dogged by sliding a pin located below the cylinder housing which allows the panic system to remain in an open position giving free access during business hours. An electric strike can also be utilized with this glass panic door system and work in conjunction with a remote key less application.

Note: State and Local building codes may require top latch for A.D.A. compliance. Please see PRL Glass Door Panic System PL 100 Series for all your top latching panic device applications.

•Thresholds are recommended on floor strike system as floor mounted strikes can be a tripping hazard.



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PANIC HANDLES

FOR TEMPERED GLASS, FULL FRAME AND WOOD DOORS

www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL100A

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL100B

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL100C

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL100D

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL100E

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL100F

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL100FADA

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

The PL100FADA panic handle is designed to meet ADA compliance. The exterior handle measures 10" from bottom of door to bottom of exterior handle.

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL100F10

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

The PL100F10 is a heavy duty panic handle designed for over sized doors up to 120" tall by using 3/4" tempered glass and a full height "F" exterior handle UL Approved and tested by Architectural testing

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL100G

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL100H

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL100J

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL100JS

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"

# PL100M

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL100MS

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL100X

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL100Z

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL100A

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL100B

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL100C

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL100D

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL100E

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL100F

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL100FADA

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL100F10

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

The PL100F10 is a heavy duty panic handle designed for over sized doors up to 120" tall by using 3/4" tempered glass and a full height "F" exterior handle UL Approved and tested by Architectural testing

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL100G

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL100H

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL100J

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL100JS

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL100M

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL100MS

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL100X

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy





# PL100Z

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# Panic Handles
# For Tempered Glass Doors

www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110A

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110B

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110C

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110D

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110E

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110F

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110G

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110H

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110J

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110JS

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110K

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110KS

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110L

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110LS

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110M

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110MS

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110N

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110P

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110X

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110Y

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# PL110Z

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy





# PL110A

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL110B

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL110C

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL110D

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL110E

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL110F

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL110G

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL110H

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL110J

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL110JS

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL110K

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy





# PL110KS

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL110L

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL110LS

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL110M

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8″ | B502-191 |
| Russwin | #0 1/2″ | 1-1/8″ | #1 |
| Corbin | 5253 | 1-1/8″ | #1 |
| Sargent | 41 | 1-1/8″ | X13000 |
| Best | 1E64 | 1-1/8″ | 1EC4 |
| Yale | 1152 | 1-1/8″ | 1161 (std.) |
| Lori | 218 | 1-1/8″ | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8″



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL110MS

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL110N

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL110P

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy





# PL110X

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy



# PL110Y

**Finish**

#4 brushed stainless steel

#8 polished stainless steel

Satin brass

Polished brass

us10b

Custom painted

**The following list of mortise cylinders will work with PRL Panics and Deadbolts**

| MFR. | NO. | NOMINAL LENGTH | CAM NO. |
|---|---|---|---|
| Schlage | 20-001 | 1-1/8" | B502-191 |
| Russwin | #0 1/2" | 1-1/8" | #1 |
| Corbin | 5253 | 1-1/8" | #1 |
| Sargent | 41 | 1-1/8" | X13000 |
| Best | 1E64 | 1-1/8" | 1EC4 |
| Yale | 1152 | 1-1/8" | 1161 (std.) |
| Lori | 218 | 1-1/8" | 4400-00-3002 |

Removable core mortise cylinders and thumb-turns will function properly when fitted with one of the listed straight cams. Custom cylinder collars are available to accommodate cylinder lengths exceeding 1-1/8"



www.archivet.it E-mail: archivet12@gmail.com Mob .+393932802108
Via Monzoro 6 - 20010 Cornaredo (Milano) Italy

# A. A r c h i V e t

## Architectural Hardware

## &

## Glass Tools

Mob. +39 3932802108
archivet.it email : archivet 12@gmail.com